

# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PREMISE® Product code (UVP) 79227574

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

Bayer House, Central Avenue

Hiranandani Estate 400607 Thane (W) Maharashtra

India

**Telephone** +91-22-25311826 / 25311234

**Telefax** +91-22-25455116

1.4 Emergency telephone no.

Indian Emergency Number 022-25311885 (24 hours/day)

**Global Incident Response** 

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H302 Harmful if swallowed.
Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Imidacloprid



2/11

# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND

102000019218

Revision Date: 07.01.2021
Print Date: 07.01.2021





# Signal word: Warning Hazard statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3- one (3:1), 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

### Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Imidacloprid 350 g/l

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Imidacloprid	138261-41-3	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	30.5
reaction mass of 5-chloro- 2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.0002 - < 0.0015
1,2-Benzisothiazol-3(2H)- one	2634-33-5 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317	> 0.005 - < 0.05



# PREMISE® (Imidacloprid 30.5%SC)

 Version 2 / IND
 Revision Date: 07.01.2021

 102000019218
 Print Date: 07.01.2021

		Aquatic Acute 1, H400	
1,2-Propanediol	57-55-6 01-2119456809-23-xxxx	Not classified	> 1
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	> 1

#### **Further information**

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
reaction mass of 5- chloro-2- methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** If large amounts are ingested, the following symptoms may occur:

Vomiting, Dizziness, Abdominal pain, Nausea

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Monitor: respiratory and cardiac functions. In

case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always

advisable. There is no specific antidote.



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** None known.

Hazchem Code 3Z

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

**Additional advice** Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

> the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

7.3 Specific end use(s) Refer to the label and/or leaflet.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
		(TWA)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** 

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Protective index

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability >480 minGlove thickness > 0.4 mm

Class 6 Directive Protective gloves complying with EN

374.

Eve protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND
102000019218

Revision Date: 07.01.2021
Print Date: 07.01.2021

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form suspension

Colour white

Odour weak, characteristic
Odour Threshold No data available

**pH** 7.0 - 8.5 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point none

Flammability

Auto-ignition temperature

No data available

No data available

No data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data available

**Density** ca. 1.15 g/cm<sup>3</sup> (20 °C)

Water solubility miscible

Partition coefficient: noctanol/water Imidacloprid: log Pow: 0.57

Viscosity, kinematic

Oxidizing properties

No data available

No data available

No data available

**9.2 Other information** Further safety related physical-chemical data are not known.



# PREMISE® (Imidacloprid 30.5%SC)

 Version 2 / IND
 Revision Date: 07.01.2021

 102000019218
 Print Date: 07.01.2021

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 300 - < 2,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.743 mg/l

Exposure time: 4 h

Highest attainable concentration.

Determined in the form of a respirable aerosol. Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

**Skin corrosion/irritation** No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

No eye irritation (Rabbit)

Test conducted with a similar formulation.

**Respiratory or skin** Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

# Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid. EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic

invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 μg/l

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

12.2 Persistence and degradability

**Biodegradability** Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

**Bioaccumulation** Imidacloprid:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

No other effects to be mentioned. Additional ecological



9/11

# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

#### information

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging 
Not completely emptied packagings should be disposed of as

hazardous waste.

#### Legal basis

Waste key in accordance with Schedule I of the Hazardous Waste Rules, 2008 as amended (India - EP Act):

29.1 Process wastes/residues

29.3Date-expired and off-specification pesticides

#### **SECTION 14: TRANSPORT INFORMATION**

### ADR/RID/ADN

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
Hazard no.
90
Hazchem Code
32

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### **IMDG**

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)914.4 Packaging GroupIII14.5 Marine pollutantYES

**IATA** 

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)914.4 Packaging GroupIII



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND

102000019218

Revision Date: 07.01.2021
Print Date: 07.01.2021

14.5 Environm. Hazardous Mark YES

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

## **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Further information**

WHO-classification: II (Moderately hazardous)

### Labeling according to Insecticide Rules 1971 as amended. (INDIA)



Class II: Highly toxic Colour: bright yellow

Poison!

Keep out of the reach of children.

### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances



# PREMISE® (Imidacloprid 30.5%SC)

Version 2 / IND Revision Date: 07.01.2021 102000019218 Print Date: 07.01.2021

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.